

Patent

RECEIVED
CENTRAL FAX CENTER**JUN 08 2006**

Customer No.: 31561

Docket No.: 11690-US-PA

Application No.: 10/707,082

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Applicant : Cheng-Sheng Lee

Application No. : 10/707,082

Filed : 2003/11/20

For : DEVICE AND METHOD FOR BREAKING LEAKAGE
CURRENT PATH

Art Unit : 2827

Examiner : PHAM, LY D.

TRANSMITTAL LETTER**002-1-571-273-8300****(Via fax : 1+13+1 pages)**Assistant Commissioner for Patents
Alexandria, VA 22314

Dear Sir,

In response to the Office Action dated March 10, 2006, please find the relevant paper in response to paper No. 20060301 as follows:

- Amendment and Response to Office Action in (13) pages
- Replacement Sheet of Drawing in (1) pages

I believe that no fee is incurred. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 11690-US-PA).

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

Respectfully Submitted,
JIANQ CHYUN Intellectual Property OfficeDate : June 8, 2006By : Belinda Lee
Belinda Lee
Registration No.: 46,863

Please send future correspondence to:

7F. -1, No. 100, Roosevelt Rd.,

Sec. 2, Taipei 100, Taiwan, R.O.C.

Tel: 886-2-2369 2800 Fax: 886-2-2369 7233 / 886-2-2369 7234

E-MAIL: BELINDA@JCIPGroup.com.tw; USA@JCIPGroup.com.tw

RECEIVED
CENTRAL FAX CENTER

JUN 08 2006

Custom No.: 31561
Application No.: 10/707,082
Docket No.: 11690-US-PA

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: PHAM, LY D.

Group Art Unit: 2827

In re PATENT APPLICATION of
Applicants : Cheng-Sheng Lee

Serial No. : 10/707,082

Filed : November 20, 2003

For : DEVICE AND METHOD FOR
BREAKING LEAKAGE
CURRENT PATH

AMENDMENT

) Attorney Docket: 11690-US-PA
)

No fee is believed to be due. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 11690-US-PA)

AMENDMENTS AND RESPONSE TO OFFICE ACTION AFTER RCE

United States Patent and Trademark Office
Customer Service Window, Mail Stop **AMENDMENT**
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

The Office Action dated on March 10, 2006, has been carefully considered. In response thereto, please enter the following amendments and consider the following remarks.

1